

AQUA TREATMENT

Stain proof impregnator for completely invisible protection on all absorbent materials.



AQUA TREATMENT is a water-based, stain proof impregnating agent for the completely invisible protective treatment of all types of absorbent material against staining agents, including liquids such as wine or coffee, or fats such as oil or grease. The special formula of **AQUA TREATMENT** prevents the staining agent from penetrating the material and in this way, it stops the surface from becoming stained. Any staining agent spilled on the surface can be removed quickly and easily by wiping it clean with a damp cloth.

AQUA TREATMENT is completely invisible and will not change the appearance, tone or colour of the treated surface; it does not create surface films, as it is completely absorbed, and it will not change the original breathability of the treated surface.

AQUA TREATMENT also makes routine surface maintenance easier, as it limits a surface's ability to trap dirt, preventing it from penetrating below the surface and attaching to the material.

AQUA TREATMENT is completely free from volatile organic compounds (VOC Free). It is also eco-compatible and certified for contact with foods This is why it is the ideal stain-proofing treatment for kitchen tops in stone or agglomerates. **AQUA TREATMENT** is ready to use and quick and easy to apply. It is suitable for all types of absorbent material and can be used indoors and outside.

AQUA TREATMENT is not suitable for application on glazed materials or materials with no absorption capacity.

CHARACTERISTICS AND BENEFITS

- ✓ **Excellent stain-proofing properties: blocks the penetration and absorption of** staining agents
- ✓ **High penetration capacity**
- ✓ **Invisible treatment:** it will not change the original tone, colour or appearance of the material
- ✓ **Does not change the original breathability** of the surface
- ✓ **Resistant to UV rays and bad weather**
- ✓ **Will not yellow** over time
- ✓ Suitable for use on all absorbent materials
- ✓ **Quick and easy application**
- ✓ **Certified for contact with foods**
- ✓ **Free from volatile organic compounds**

USES

This product **can be used** on both indoor and outdoor surfaces.

Suitable for use on: Cement marble agglomerate, Marble resin agglomerate, Quartz resin agglomerate, Slate, Sandstone, Basaltina - Lava stone, Clinker, Cotto, Granite, Limestone, Marble, Work tops/Tops in marble, Work tops/Tops in granite, Work tops/Tops in quartz, Porphyry, Quarzite, Terracotta, Travertine, Tuff



Protectors

AQUA TREATMENT - Stain proof impregnator for completely invisible protection on all absorbent materials.



COVERAGE

10-15 m²/l according to the absorption level of the surface being treated

APPLICATION EQUIPMENT

Brush, roller, lambswool applicator, airless spray, cloth

APPLICATION STEPS

Preparing and cleaning the surface

1. Carefully clean the surface, making sure to remove any dust or dirt present.
2. Wait for the surface to be treated to be completely dry.
3. Any adjacent surfaces not being treated with the product must be protected.

Application

Before applying the product to the whole surface, always test a small, unexposed area or unused piece to check its suitability for use.

4. Apply a thick, even layer of product to cover the whole surface being treated, using the tools of choice. Make sure to create a layer that is as seamless and even as possible.
5. About 10 minutes from application, make sure there are no residues or excess product on the surface, and redistribute these as necessary, evening the coverage until they are completely removed.
6. If applying the product to more absorbent surfaces, apply a second coat about 1 hour after the first, following the same procedure described above.

Drying time

Surfaces will be dry about 1 hour from product application.

Opening to floor traffic

When used on floor surfaces, wait at least 4-6 hours before opening the floor to foot traffic.

COMPLEMENTARY CLEANING AND MAINTENANCE PRODUCTS

After treatment with AQUA TREATMENT, maintain the surface clean with the product most suitable Faber product, such as NEUTRAL CLEANER or FLOOR CLEANER or, to be chosen according to the surface characteristics.

INSTRUCTIONS AND GUIDELINES

- Never apply the product to a wet surface
- Do not apply the product to overly heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- If used as a treatment before grouting, wait at least 1 day before grouting the surface.
- If used on cotto, terracotta or particularly absorbent surfaces, it is possible to apply AQUA TREATMENT after using a water-repellent primer. In this case, wait for the primer to cure completely before applying AQUA TREATMENT
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.



Protectors

AQUA TREATMENT - Stain proof impregnator for completely invisible protection on all absorbent materials.



EQUIPMENT CLEANING

At the end of application, the equipment used can be washed using water.

SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

PHYSICAL AND TECHNICAL INFORMATION

Aspect:	Liquid
Colour:	Amber
Odour:	Odourless
Specific Gravity at 20°C	990 ± 5 g/l
pH	4,5 ± 0,5

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

24 months in the original, sealed packaging, stored in a cool, dry place.

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

PACKAGING

- 1 l bottles - 12 bottles per box
- 5 l cans – 4 cans per box

HAZARD IDENTIFICATION/MATERIAL SAFETY DATA



H315	Causes skin irritation
H319	Causes serious eye irritation.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/clothing/eye protection/ face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.





Version 4.0 – 09/07/2021

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and / or modify the data and information contained in the data sheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability with regard to the use of such data and suggestions.

FABERSURFACECARE.COM

